

Shaking may cause brain damage and serious long-term effects to infants**SpiritIndia.com**an amazing [health](#) tech site

Health is a unity and harmony within the mind, body and spirit which is unique to each person, and is as defined by that person. The level of wellness or health is, in part, determined by the ability to deal with and defend against stress. Health is determined by physiological, psychological, socio-cultural, spiritual, and developmental stage variables.

[Home](#) | [Cancer](#) | [Therapies](#) | [Diet](#) | [Herbs](#) | [Heart](#) | [Skin](#) | [Cosmetic Surgery](#) | [Arthritis](#) | [Allergies](#) | [Eyes](#) | [GIT](#) | [Today](#)
Shaking may cause brain damage and serious long-term effects to infants**Ads by Google**[Battered Women](#)[Help Battered Women](#)[Israeli Battered Women](#)[Project for Battered Women](#)**Infant :: Shaking may cause brain damage and serious long-term effects to infants**

A group of interns of the Teaching Maternity Unit of the University College of Health Care of the UGR has carried out a bibliographic review of the shaken baby syndrome. Many of the diagnosed cases which produce internal damage to the infant have been caused by mistreatment or abuse.

Lose 9 Lbs. Every 11 Days

Learn the 10 Idiot Proof Rules of Dieting and Fat Loss.

Elimine Spyware del PC

Diagnóstico gratis y protección si precedentes. Recupere el control.

Ads by Google[Net Nanny](#)[Net Nanny 4](#)[Net Nanny 5 0](#)[Net Nanny 5 1](#)

Crying is the only way a baby can express its feelings and needs. If the parents or caregivers cannot find the cause of the inconsolable crying of the infant, they might react sharply and shake the baby. The violent shake of the infant's head causes brain damage and, as a result, the infant stops crying. For this reason, this behaviour may be repeated in similar situations.

This is one of the serious consequences extracted from the bibliographic review carried out by a group of interns of the Teaching Maternity Unit of the University College of Health Care of the University of Granada (UGR) published by the Nursing Journal Rol.

Concepción Ruiz Rodríguez, lecturer of the Department of Nursing of the UGR and head of the research group, explains that the "shaken baby syndrome" is not well-known and may cause several injuries which, in most cases, have no outward physical signs. Although the seriousness of the brain damage depends on the frequency, intensity and duration of the shake, there are other minor injuries observed due to this syndrome, such as irritability, lethargy, convulsions, vomiting or lack of appetite, and others that are more serious such as eye injury and broken bones.

The father, the main aggressor

Most victims are under two years old, and the most vulnerable victims include premature babies, low-weight babies, babies with excessive colic, disabled babies, twins and stepchildren. The aggressors are chiefly men, frequently the father (44%) followed by the mother's boyfriend living in the family home (20%). The most frequent aggressors among women are the babysitters (18%) and the mothers (7%).

According to the information collected from the scientific articles published over the last five years, the researcher assures that "in most of the cases diagnosed, the cause is abuse or mistreatment". For this reason, early detection and especially appropriate prevention by health professionals is essential, because this syndrome may cause serious long-term effects on the infant. In fact, a poor assessment could lead to serious consequences or even the death of the victim. 20% of victims die during the days following the aggression, and of those who survive, 50% suffer from a wide variety of disabilities and only 30% recover fully.

Prevention

Concepción Ruiz points out "the importance of establishing prevention and early detection programmes in which experts in early childhood healthcare are involved.

It is necessary to offer educational courses for parents and health professionals where they can learn about the characteristics of this syndrome and some strategies to deal with stressful situations. However, the researcher wants to make it clear that "the aim is to educate and inform without alarming parents, to prevent parents who have not mistreated their children from feeling guilty, and to clarify misconceptions".

Africa Wildlife Volunteer

Placements at Wildlife Conservation Rehabilitation & Research Projects!

The Geneva IO-MBA

A unique MBA focused on IOs & NGOs Come find out more for yourself!

(Posted on Monday, September 17, 2007)

► [Send to a Friend](#)

Recently posted related articles on Infant :

1. [Infant :: Shaking may cause brain damage and serious long-term effects to infants](#)
2. [Infant :: British Columbia recognizes International FASD Fetal Alcohol Spectrum Disorder Day](#)
3. [Infant :: Nicotine in breast milk disrupts infants' sleep patterns](#)
4. [Breastfeeding :: Codeine use by nursing mothers may cause side effects in infants, says FDA](#)
5. [Scoliosis :: Non surgical technique to cure progressive infantile scoliosis](#)
6. [Breastfeeding :: World Breastfeeding Week 2007, early start on breast milk saves infants' lives](#)
7. [Infant :: Disparities in infant mortality not related to race](#)
8. [Infant :: Prenatal exposure to tobacco smoke raises blood pressure in infants](#)
9. [SIDS :: Infant hearing test results may predict sudden infant death syndrome](#)
10. [Infant :: Prenatal stress keeps infants, toddlers up at night, study says](#)

[Encyclopedia details on Infant.](#) Compare [best books on Infant.](#) 10 Best-selling [books on Infant.](#) Selected best products on [Infant.](#)

Search more information on [Infant](#)