Font Size

Online University Degree Get University Degree with Financial Aid in as Few as 2 Years

THESHELTERPETPROJECT.ORG

Me gusta

Le C Finand Today April

Le Cordon Bleu® Austin Financial Aid Available-Apply Today College Classes Start on April 4th

LeCordonBleuColleg_{Chitika} | Premium & HOME COMMUNITY NFWS VIDEO IMAGES SPACE SCIENCE TECH HEAI TH FDUCATION TOPICS SHOP SITEMAP SEARCH Sci-fi & Gaming Oddities Education Entertainment

Buzz up!

Six Out Of Ten Male Drug-Addicts Abuse Their Partners

del.icio.us

Digg

Posted on: Thursday, 3 March 2011, 12:48 CST

Comment

A research conducted at the University of Granada has revealed a high rate of gender-based violence —both physical and psychological—directed by drug-addict men against their partners. The study also detailed the type of violence perpetrated. Personal control, sexual abuse, emotional neglect and emotional blackmail out of guilt are the most prevalent forms of abuse in this collective.

Discuss article

According to a study conducted at the Department of Pedagogy of the University of Granada, about six out of ten male drug-abusers direct some type of violence against their intimate partners. Thus, the study revealed a high rate of domestic violence –both physical and psychological– by male drug-abusers against women. The study also detailed the most recurrent forms of abuse, as well as the variables associated to them.

The study revealed that between 6.5 and 72.4% of the population admits to having committed some form of violence against their partner. The less prevalent conduct was "I forced her to abort against her will" (6.5%), and the most prevailing being "I show total disregard for her needs, wishes and interests". In addition, 63.5% of the respondents ensured that they wanted to know what their partner makes at all times of the day, their hours, whom they speak to...". The rate of physical violence oscillates between 6.5% and 21%, while psychological violence varies between 7.3% and 72.4%.

They Are Aware

The study revealed that 51% of male drug-abusers are aware of their committing violence against their partners and, although they know that such violence has a deep impact on their partners, they are not willing to break off, or to let their spouses abandon them, thus resorting to whatever strategies are necessary.

Additionally, psychological violence is more frequent than physical violence in this collective. The most representative forms of violence being, by order of incidence: personal control, sexual abuse, emotional neglect, emotional blackmail out of guilt, disregard for their ideology or religion, abuse based on gender roles, emotional blackmail through enforcement, economic abuse, emotional blackmail out of fear, loss of personal control and social isolation.

This research was carried out by Amelia Matute López, and conducted by professor Andrés Soriano Díaz. The author took a sample of 153 men aged between 20 and 65 years, attending some of rehabilitation units in Andalusia; all of them were cocaine, alcohol, heroin or heroin-cocaine

abusers. The study was a questionnaire-based prevalence survey of spousal abuse, containing also some questions to obtain some information on the variables selected.

The research conducted at the University of Granada revealed that 78.8% of the couples ended in separation, although such separation was generally temporary. In most of the cases, the couple ended getting back together. "Despite their negative effect on their health and well-being, women remain in this type of relationship as a result of the pressure exerted by their male partners and of the romantic myths of unconditional and imbalanced love" –Amelia Matute states.

This research contributes to better understanding the phenomenon of gender-based violence, in a sector of the population that had not been previously studied. In Spain, there are some studies based on the general population, but not on specific sectors of the population that could be considered of high-risk, such as it is the case of drug-abusers, as this study reveals.

On the Net:

UGR

More News in this Category

Related Articles

Research Study Shows Social-Emotional Strengths Help Children Do Well in School

Severity Of Binge Eating Disorder Linked To Childhood Sexual Or Emotional Abuse

Cequent Begins Chronic Toxicology Study with CEQ508, Lead Oncology tkRNAi Drug Candidate; Also Initiates First NHP Toxicology Study of Novartis-Optioned IBD Drug Candidate

Caliper Life Sciences Partners with Prestwick Chemical to Offer Customized Chemistry and Biology Programs for Drug Discovery Research

Shanghai ChemPartner and Agios Expand Integrated Drug Discovery Research Collaboration

Bridging the Technology Gap: Study Confirms Teens Open to Discussing Drugs and Alcohol With Parents By Email, Cell Phones

Drug Discovery Research: New Frontiers in the Post-Genomic Era

WHO Warns Against Hoarding Bird Flu Drug

Study Confirms Power of Anti-HIV Drugs

Substance Abuse Increases; Rich Buy Prescription Drugs, Poor Use Meth or Heroin, Report Says

Advertisement from Adblade.com



Attention Homeowners

See if you qualify to refinance your home at these unbelievably low prices...Learn more

1 de 3 04/03/2011 11:05